

PHP Version 5.4.4-14+deb7u2

System	Linux opus26 3.12.25-opus #1 SMP Thu Jul 31 13:37:45 CEST 2014 x86_64
Build Date	Jun 6 2013 03:44:13
Server API	CGI/FastCGI
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc/php5/cgi
Loaded Configuration File	/htdocs/conf/php/php.ini
Scan this dir for additional .ini files	/etc/php5/cgi/conf.d
Additional .ini files parsed	/etc/php5/cgi/conf.d/extensions.ini
PHP API	20100412
PHP Extension	20100525
Zend Extension	220100525
Zend Extension Build	API220100525,NTS
PHP Extension Build	API20100525,NTS
Debug Build	no
Thread Safety	disabled
Zend Signal Handling	disabled
Zend Memory Manager	enabled
Zend Multibyte Support	provided by mbstring
IPv6 Support	enabled
DTrace Support	disabled
Registered PHP Streams	https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar, zip
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, tls
Registered Stream Filters	zlib.*, bzip2.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk, mcrypt.*, mdecrypt.*

This program makes use of the Zend Scripting Language Engine:
Zend Engine v2.4.0, Copyright (c) 1998-2012 Zend Technologies
with the ionCube PHP Loader v4.4.1, Copyright (c) 2002-2013, by ionCube Ltd.

Configuration

bcmath

BCMath support	enabled
----------------	---------

Directive	Local Value	Master Value
bcmath.scale	0	0

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bzip2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.6, 6-Sept-2010

calendar

Calendar support	enabled
------------------	---------

cgi-fcgi

Directive	Local Value	Master Value
cgi.check_shebang_line	1	1
cgi.discard_path	0	0
cgi.fix_pathinfo	1	1
cgi.force_redirect	1	1
cgi.nph	0	0
cgi.redirect_status_env	no value	no value
cgi.rfc2616_headers	0	0
fastcgi.logging	1	1

Core

Directive	Local
allow_url_fopen	On
allow_url_include	Off
always_populate_raw_post_data	Off
arg_separator.input	&
arg_separator.output	&
asp_tags	On
auto_append_file	<i>no value</i>
auto_globals_jit	Off
auto_prepend_file	/usr/local/lib/include_disable_php.php
browscap	<i>no value</i>
default_charset	<i>no value</i>
default_mimetype	text/html
disable_classes	<i>no value</i>
disable_functions	pcntl_alarm,pcntl_erro,pcntl_exec,pcntl_fork,pcntl_get_last_error,pcntl_getpriority,pcntl_setpriority,pcntl_signal_dispatch,pcntl_signal,pcntl_sigprocmask,pcntl_sigt
display_errors	On
display_startup_errors	Off
doc_root	<i>no value</i>
docref_ext	<i>no value</i>
docref_root	<i>no value</i>
enable_dl	Off
enable_post_data_reading	On
error_append_string	<i>no value</i>
error_log	/tmp/php_error.log
error_prepend_string	<i>no value</i>
error_reporting	24565
exit_on_timeout	Off
expose_php	Off
extension_dir	/usr/lib/php5/20100525+ifs/
file_uploads	On
highlight.comment	#FF8000
highlight.default	#0000BB
highlight.html	#000000
highlight.keyword	#007700
highlight.string	#DD0000
html_errors	Off
ignore_repeated_errors	Off
ignore_repeated_source	Off
ignore_user_abort	Off
implicit_flush	Off
include_path	./usr/share/php:/usr/share/pear
log_errors	On
log_errors_max_len	1024
mail.add_x_header	On
mail.force_extra_parameters	<i>no value</i>
mail.log	<i>no value</i>
max_execution_time	60
max_file_uploads	50
max_input_nesting_level	64
max_input_time	60
max_input_vars	1000
memory_limit	140M
open_basedir	<i>no value</i>
output_buffering	<i>no value</i>
output_handler	<i>no value</i>
post_max_size	40M
precision	14
realpath_cache_size	16K
realpath_cache_ttl	120
register_argc_argv	Off
report_memleaks	On
report zend_debug	On
request_order	GP
sendmail_from	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i
serialize_precision	17
short_open_tag	On
SMTP	localhost
smtp_port	25
sql.safe_mode	Off
track_errors	Off
unserialize_callback_func	<i>no value</i>

upload_max_filesize	25M
upload_tmp_dir	/tmp
user_dir	<i>no value</i>
user_ini.cache_ttl	300
user_ini.filename	.user.ini
variables_order	EGPCS
xmlrpc_error_number	0
xmlrpc_errors	Off
zend.detect_unicode	On
zend.enable_gc	Off
zend.multibyte	Off
zend.script_encoding	<i>no value</i>

ctype

ctype functions	enabled
-----------------	---------

curl

cURL support	enabled
cURL Information	7.26.0
Age	3
Features	
AsynchDNS	No
Debug	Yes
GSS-Negotiate	Yes
IDN	Yes
IPv6	Yes
Largefile	Yes
NTLM	Yes
SPNEGO	No
SSL	Yes
SSPI	No
krb4	No
libz	Yes
CharConv	No
Protocols	dict, file, ftp, ftps, gopher, http, https, imap, imaps, ldap, pop3, pop3s, rtmp, rtsp, scp, sftp, smtp, smtps, telnet, tftp
Host	i486-pc-linux-gnu
SSL Version	OpenSSL/1.0.1e
ZLib Version	1.2.7
libSSH Version	libssh2/1.4.2

date

date/time support	enabled
"Olson" Timezone Database Version	0.system
Timezone Database	internal
Default timezone	Europe/Berlin

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	<i>no value</i>	<i>no value</i>

dba

DBA support	enabled
Supported handlers	cdb cdb_make db4 inifile flatfile qdbm

Directive	Local Value	Master Value
dba.default_handler	flatfile	flatfile

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.8.0

HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

ereg

Regex Library	Bundled library enabled
---------------	-------------------------

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id\$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	<i>no value</i>	<i>no value</i>
exif.encode_unicode	ISO-8859-15	ISO-8859-15

fileinfo

fileinfo support	enabled
version	1.0.5

filter

Input Validation and Filtering	enabled
Revision	\$Id: e523cdc8829892d1b4f9cb7c3c57b2ba1c36b9ea \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

ftp

FTP support	enabled
-------------	---------

gd

GD Support	enabled
GD Version	2.0
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.4.9
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	unknown
PNG Support	enabled
libPNG Version	1.2.49
WBMP Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

gettext

GetText Support	enabled
-----------------	---------

gmp

gmp support	enabled
GMP version	5.0.5

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b fnv132 fnv164 joaat haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.13

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

imagemagick

imagemagick module	enabled
imagemagick module version	3.1.0RC1
imagemagick classes	ImageMagick, ImageMagickDraw, ImageMagickPixel, ImageMagickPixelIterator
ImageMagick version	ImageMagick 6.7.7-10 2012-11-06 Q16 http://www.imagemagick.org
ImageMagick copyright	Copyright (C) 1999-2012 ImageMagick Studio LLC
ImageMagick release date	2012-11-06
ImageMagick number of supported formats:	204
ImageMagick supported formats	3FR, A, AAI, AI, ART, ARW, AVI, AVS, B, BGR, BGRA, BIE, BMP, BMP2, BMP3, BRG, C, CAL, CALS, CANVAS, CAPTION, CIN, CIP, CLIP, CMYK, CMYKA, CR2, CRW, CUR, CUT, DCM, DCR, DCX, DDS, DFONT, DNG, DPX, EPDF, EPI, EPS, EPS2, EPS3, EPSF, EPSI, EPT, EPT2, EPT3, ERF, FAX, FITS, FRACTAL, FTS, G, G3, GIF, GIF87, GRADIENT, GRAY, GROUP4, HALD, HDR, HISTOGRAM, HRZ, HTM, HTML, ICB, ICO, ICON, INFO, INLINE, IPL, ISOBRL, J2C, J2K, JBG, JBIG, JNG, JP2, JPC, JPEG, JPG, JPX, K, K25, KDC, LABEL, M, M2V, M4V, MAC, MAP, MAT, MATTE, MEF, MIFF, MNG, MONO, MOV, MP4, MPC, MPEG, MPG, MRW, MSL, MTV, MVG, NEF, NRW, NULL, O, ORF, OTB, OTF, PAL, PALM, PAM, PATTERN, PBM, PCD, PCDS, PCL, PCT, PCX, PDB, PDF, PDFa, PEF, PES, PFA, PFB, PFM, PGM, PGX, PICON, PICT, PIX, PJPEG, PLASMA, PNG, PNG24, PNG32, PNG8, PNM, PPM, PREVIEW, PS, PS2, PS3, PSB, PSD, PTIF, PWP, R, RADIAL-GRADIENT, RAF, RAS, RGB, RGBA, RGBO, RLA, RLE, SCR, SCT, SFW, SGI, SHTML, SR2, SRF, STEGANO, SUN, TEXT, TGA, THUMBNAIL, TIFF, TIFF64, TILE, TIM, TTC, TTF, TXT, UBRL, UIL, UYVY, VDA, VICAR, VID, VIFF, VST, WBMP, WMV, WPG, X, X3F, XBM, XC, XCF, XPM, XPS, XV, XWD, Y, YCbCr, YCbCrA, YUV

Directive	Local Value	Master Value
imagemagick.locale_fix	0	0
imagemagick.progress_monitor	0	0

imap

IMAP c-Client Version	2007f
SSL Support	enabled
Kerberos Support	enabled

intl

Internationalization support	enabled
version	1.1.0
ICU version	4.8.1.1
ICU Data version	4.8.1

Directive	Local Value	Master Value
intl.default_locale	no value	no value
intl.error_level	0	0

json

json support	enabled
json version	1.2.1

ldap

LDAP Support	enabled
RCS Version	\$Id\$
Total Links	0/unlimited
API Version	3001
Vendor Name	OpenLDAP
Vendor Version	20431
SASL Support	Enabled

Directive	Local Value	Master Value
ldap.max_links	Unlimited	Unlimited

libxml

libXML support	active
libXML Compiled Version	2.8.0
libXML Loaded Version	20800
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled
libmbfl version	1.3.2

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) version	5.9.1

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^(text/application/xhtml\+xml)	^(text/application/xhtml\+xml)
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mcrypt

mcrypt support	enabled
mcrypt_filter support	enabled
Version	2.5.8
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

mhash

MHASH support	Enabled
MHASH API Version	Emulated Support

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0

Client API version	5.5.31
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/run/mysqld/mysqld.sock
MYSQL_INCLUDE	-I/usr/include/mysql
MYSQL_LIBS	-L/usr/lib -lmysqlclient_r

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	On	On
mysql.connect_timeout	30	30
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	/var/run/mysqld/mysqld.sock	/var/run/mysqld/mysqld.sock
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysqli Support	enabled
Client API library version	5.5.31
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0
Client API header version	5.5.31
MYSQLI_SOCKET	/var/run/mysqld/mysqld.sock

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	On	On
mysqli.default_host	mysql.register.it	mysql.register.it
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	/var/run/mysqld/mysqld.sock	/var/run/mysqld/mysqld.sock
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited
mysqli.reconnect	Off	Off

openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 1.0.1e 11 Feb 2013
OpenSSL Header Version	OpenSSL 1.0.1e 11 Feb 2013

pcntl

pcntl support	enabled
---------------	---------

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.30 2012-02-04

Directive	Local Value	Master Value
pcre.backtrack_limit	1000000	1000000
pcre.recursion_limit	100000	100000

PDFlib

PDFlib Support	enabled
PDFlib GmbH Binary-Version	9.0.1
PECL Version	3.0.0
Revision	\$Revision: 1.27.2.2 \$

PDO

PDO support	enabled
PDO drivers	mysql, pgsql, sqlite

pdo_mysql

PDO Driver for MySQL	enabled
Client API version	5.5.31

Directive	Local Value	Master Value
pdo_mysql.default_socket	/var/run/mysqld/mysqld.sock	/var/run/mysqld/mysqld.sock

pdo_pgsql

PDO Driver for PostgreSQL	enabled
PostgreSQL(libpq) Version	9.1.9
Module version	1.0.2
Revision	\$Id\$

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
SQLite Library	3.7.13

pgsql

PostgreSQL Support	enabled
PostgreSQL(libpq) Version	9.1.9
PostgreSQL(libpq)	PostgreSQL 9.1.9 on i686-pc-linux-gnu, compiled by gcc (Debian 4.7.2-5) 4.7.2, 32-bit
Multibyte character support	enabled
SSL support	enabled
Active Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
pgsql.allow_persistent	On	On
pgsql.auto_reset_persistent	Off	Off
pgsql.ignore_notice	Off	Off
pgsql.log_notice	Off	Off
pgsql.max_links	Unlimited	Unlimited
pgsql.max_persistent	Unlimited	Unlimited

Phar

Phar: PHP Archive support	enabled
Phar EXT version	2.0.1
Phar API version	1.1.1
SVN revision	\$Id: 2a47d3d0354109d8077e34d59f1228ccfd021d59 \$
Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bzip2 compression	enabled
OpenSSL support	enabled

Phar based on pear/PHP_Archive, original concept by Davey Shafik.
Phar fully realized by Gregory Beaver and Marcus Boerger.
Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
phar.cache_list	<i>no value</i>	<i>no value</i>
phar.readonly	On	On
phar.require_hash	On	On

posix

Revision	\$Id: 967584c6fad3467f31abe8e13caa8764df85867 \$
----------	--

Reflection

Reflection	enabled
Version	\$Id: 1cf65cee164ed57874ce2d29e5c46b82f6139524 \$

session

Session Support	enabled
Registered save handlers	files user sqlite
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	/dev/urandom	/dev/urandom
session.entropy_length	0	0
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	0	0
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/tmp	/tmp
session.serialize_handler	php	php
session.upload_progress.cleanup	On	On
session.upload_progress.enabled	On	On
session.upload_progress.freq	1%	1%
session.upload_progress.min_freq	1	1
session.upload_progress.name	PHP_SESSION_UPLOAD_PROGRESS	PHP_SESSION_UPLOAD_PROGRESS
session.upload_progress.prefix	upload_progress_	upload_progress_
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	0	0

shmop

shmop support	enabled
---------------	---------

SimpleXML

Simplexml support	enabled
Revision	\$Id: 455280fc74f9f002b7314def7a456f6c3080eb92 \$
Schema support	enabled

soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

sockets

Sockets Support	enabled
-----------------	---------

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, CallbackFilterIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException,

IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveCallbackFilterIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

SQLite

SQLite support	enabled
PECL Module version	1.0.4 \$Id\$
SQLite Library	2.8.17
SQLite Encoding	iso8859

Directive	Local Value	Master Value
sqlite.assoc_case	0	0

sqlite3

SQLite3 support	enabled
SQLite3 module version	0.7
SQLite Library	3.7.13

Directive	Local Value	Master Value
sqlite3.extension_dir	<i>no value</i>	<i>no value</i>

standard

Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
from	<i>no value</i>	<i>no value</i>
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	<i>no value</i>	<i>no value</i>

sysvmsg

sysvmsg support	enabled
Revision	\$Id: 6360183f0075ec66a3dfa01633b2ed808dd482af \$

tidy

Tidy support	enabled
libTidy Release	25 March 2009
Extension Version	2.0 (\$Id\$)

Directive	Local Value	Master Value
tidy.clean_output	<i>no value</i>	<i>no value</i>
tidy.default_config	<i>no value</i>	<i>no value</i>

tokenizer

Tokenizer Support	enabled
-------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

xml

XML Support	active
XML Namespace Support	active

libxml2 Version	2.8.0
-----------------	-------

xmlreader

XMLReader	enabled
-----------	---------

xmlrpc

core library version	xmlrpc-epi v. 0.51
php extension version	0.51
author	Dan Libby
homepage	http://xmlrpc-epi.sourceforge.net
open sourced by	Epinions.com

xmlwriter

XMLWriter	enabled
-----------	---------

xsl

XSL	enabled
libxslt Version	1.1.26
libxslt compiled against libxml Version	2.8.0
EXSLT	enabled
libxslt Version	1.1.26

zip

Zip	enabled
Extension Version	\$Id\$
Zip version	1.9.1
Libzip version	0.9.0

zlib

ZLib Support	enabled
Stream Wrapper	compress.zlib://
Stream Filter	zlib.inflate, zlib.deflate
Compiled Version	1.2.1.1
Linked Version	1.2.7

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name
ionCube Loader
sysvsem
sysvshm

Environment

Variable	
REDIRECT_UNIQUE_ID	V0NSR1FYMRsAAD87mI0AAABA
REDIRECT_SCRIPT_URL	/info.php
REDIRECT_SCRIPT_URI	http://zoppinishop.coroworklab.it/info.php
REDIRECT_URLEXCHANGE	https://www.dataemail.net/exchange/
REDIRECT_NOSIMPLE	0
REDIRECT_SPECIAL	0
REDIRECT_NEXT	1
REDIRECT_SSLLENV	1
REDIRECT_SSLFIRST	1
REDIRECT_NOTFOUND	1
REDIRECT_SOTTOA	zoppinishop
REDIRECT_COOLPATH	htdocs/public
REDIRECT_DIRA	htdocs/public
REDIRECT_BK	713cfd1a.hostnd

REDIRECT_DOCUMENT_ROOT	htdocs/public
REDIRECT_FAKEDOCUMENT_ROOT	/htdocs/public
REDIRECT_M3PATH	/www/HOME/hostnd/7/1/3/713cfd1a/www/htdocs/public/zoppinishop/info.php
REDIRECT_REWRITEBASE	/
REDIRECT_CGIW	On
REDIRECT_PHPRC	/htdocs/conf/php
REDIRECT_PLATFORM	nodomain
REDIRECT_HTTP_MOD_REWRITE	On
REDIRECT_HANDLER	php-cgiwrap
REDIRECT_STATUS	200
UNIQUE_ID	V0NSR1FYMRsAAD87mI0AAABA
SCRIPT_URL	/info.php
SCRIPT_URI	http://zoppinishop.coroworklab.it/info.php
URLEXCHANGE	https://www.dataemail.net/exchange/
NOSIMPLE	0
SPECIAL	0
NEXT	1
SSENV	1
SSLFIRST	1
NOTFOUND	1
SOTTOA	zoppinishop
COOLPATH	htdocs/public
DIRA	htdocs/public
BK	713cfd1a.hostnd
DOCUMENT_ROOT	/
FAKEDOCUMENT_ROOT	/htdocs/public
FWRAP	1
M3PATH	/www/HOME/hostnd/7/1/3/713cfd1a/wrap/php-cgiwrap/nobody/htdocs/public/zoppinishop/info.php
CGIW	On
PHPRC	/htdocs/conf/php
BRAND	register.it
PLATFORM	nodomain
HTTP_HOST	zoppinishop.coroworklab.it
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
HTTP_UPGRADE_INSECURE_REQUESTS	1
HTTP_USER_AGENT	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_11_5) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/50.0.2661.102 Safari/537.36
HTTP_ACCEPT_ENCODING	gzip, deflate, sdch
HTTP_ACCEPT_LANGUAGE	it-IT;q=0.8,en-US;q=0.6,en;q=0.4
HTTP_COOKIE	_ga=GA1.2.935978708.1463065462; PrestaShop-530b3167ac93e154652da60c063f342a=yZh0dDZ3n6Hay1Zn27DVKye1LAPgDizc8a7Or%2FyVAMOLc6cdaa36d1b40dbefa6112a04469612bf=yZh0dDZ3n6Hay1Zn27DVK3O17A%2cBuFG1m16A3SGVFJD5yBLrbSBXjX5rUvt9jifAzVT9zpnzcJrPQGMxskWfBt
PATH	/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
SERVER_SIGNATURE	no value
SERVER_SOFTWARE	Apache
SERVER_NAME	zoppinishop.coroworklab.it
SERVER_ADDR	172.29.158.25
SERVER_PORT	80
REMOTE_ADDR	2.38.9.22
SERVER_ADMIN	[no address given]
SCRIPT_FILENAME	/htdocs/public/zoppinishop/info.php
REMOTE_PORT	19509
REDIRECT_URL	/info.php
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.0
REQUEST_METHOD	GET
QUERY_STRING	no value
REQUEST_URI	/info.php
SCRIPT_NAME	/info.php
DOCUMENT_ROOT	/
ORIG_PATH_INFO	no value

PHP Variables

Variable	
PHP_SELF	/info.php
_COOKIE["_ga"]	GA1.2.935978708.1463065462
_COOKIE["PrestaShop-530b3167ac93e154652da60c063f342a"]	yZh0dDZ3n6Hay1Zn27DVKye1LAPgDizc8a7Or/yVAMOL9rQgBT3V3Kxny6kAmryAN5LueWKxUz/+fVLKQv3g1rTDVBC0zkFYGTkO7oVVE
_COOKIE["PrestaShop-6cdaa36d1b40dbefa6112a04469612bf"]	yZh0dDZ3n6Hay1Zn27DVK3O17A%2cBuFG1m16A3SGVFJD5yBLrbSBXjX5rUvt9jifAzVT9zpnzcJrPQGMxskWfBbWwUNtzTIZont3NjLEHMLoc
_SERVER["REDIRECT_UNIQUE_ID"]	V0NSR1FYMRsAAD87mI0AAABA
_SERVER["REDIRECT_SCRIPT_URL"]	/info.php
_SERVER["REDIRECT_SCRIPT_URI"]	http://zoppinishop.coroworklab.it/info.php
_SERVER["REDIRECT_URLEXCHANGE"]	https://www.dataemail.net/exchange/
_SERVER["REDIRECT_NOSIMPLE"]	0
_SERVER["REDIRECT_SPECIAL"]	0

_SERVER["REDIRECT_NEXT"]	1
_SERVER["REDIRECT_SSENV"]	1
_SERVER["REDIRECT_SSLFIRST"]	1
_SERVER["REDIRECT_NOTFOUND"]	1
_SERVER["REDIRECT_SOTTOA"]	zoppinishop
_SERVER["REDIRECT_COOLPATH"]	htdocs/public
_SERVER["REDIRECT_DIRA"]	htdocs/public
_SERVER["REDIRECT_BK"]	713cddd1a.hostnd
_SERVER["REDIRECT_DOCUMENT_ROOT"]	htdocs/public
_SERVER["REDIRECT_FAKEDOCUMENT_ROOT"]	/htdocs/public
_SERVER["REDIRECT_M3PATH"]	/www/HOME/hostnd/71/3/713cddd1a/www/htdocs/public/zoppinishop/info.php
_SERVER["REDIRECT_REWRITEBASE"]	/
_SERVER["REDIRECT_CGIW"]	On
_SERVER["REDIRECT_PHPRC"]	/htdocs/conf/php
_SERVER["REDIRECT_PLATFORM"]	nodomain
_SERVER["REDIRECT_HTTP_MOD_REWRITE"]	On
_SERVER["REDIRECT_HANDLER"]	php-cgiwrap
_SERVER["REDIRECT_STATUS"]	200
_SERVER["UNIQUE_ID"]	V0NSR1FYMRsAAD87ml0AAABA
_SERVER["SCRIPT_URL"]	/info.php
_SERVER["SCRIPT_URI"]	http://zoppinishop.coroworklab.it/info.php
_SERVER["URLEXCHANGE"]	https://www.dataemail.net/exchange/
_SERVER["NOSIMPLE"]	0
_SERVER["SPECIAL"]	0
_SERVER["NEXT"]	1
_SERVER["SSENV"]	1
_SERVER["SSLFIRST"]	1
_SERVER["NOTFOUND"]	1
_SERVER["SOTTOA"]	zoppinishop
_SERVER["COOLPATH"]	htdocs/public
_SERVER["DIRA"]	htdocs/public
_SERVER["BK"]	713cddd1a.hostnd
_SERVER["DOCUMENT_ROOT"]	/htdocs/public/zoppinishop/
_SERVER["FAKEDOCUMENT_ROOT"]	/htdocs/public
_SERVER["FWRAP"]	1
_SERVER["M3PATH"]	/www/HOME/hostnd/71/3/713cddd1a/wrap/php-cgiwrap/nobody/htdocs/public/zoppinishop/info.php
_SERVER["CGIW"]	On
_SERVER["PHPRC"]	/htdocs/conf/php
_SERVER["BRAND"]	register.it
_SERVER["PLATFORM"]	nodomain
_SERVER["HTTP_HOST"]	zoppinishop.coroworklab.it
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
_SERVER["HTTP_UPGRADE_INSECURE_REQUESTS"]	1
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_11_5) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/50.0.2661.102 Safari/537.36
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate, sdch
_SERVER["HTTP_ACCEPT_LANGUAGE"]	it-IT,it;q=0.8,en-US;q=0.6,en;q=0.4
_SERVER["HTTP_COOKIE"]	_ga=GA1.2.935978708.1463065462; PrestaShop-530b3167ac93e154652da60c063f342a=yZh0dDZ3n6Hay1Zn27DVKye11LAPgDizc8a7Or6cdaa36d1b40dbefa6112a04469612bf=yZh0dDZ3n6Hay1Zn27DVK3O17Aj%2BuFG1m16A3SGVFD5yBLrSBXjX5rUvt9jifAzVT9zpcnzJrF
_SERVER["PATH"]	/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
_SERVER["SERVER_SIGNATURE"]	no value
_SERVER["SERVER_SOFTWARE"]	Apache
_SERVER["SERVER_NAME"]	zoppinishop.coroworklab.it
_SERVER["SERVER_ADDR"]	172.29.158.25
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	2.38.9.22
_SERVER["SERVER_ADMIN"]	[no address given]
_SERVER["SCRIPT_FILENAME"]	/htdocs/public/zoppinishop/info.php
_SERVER["REMOTE_PORT"]	19509
_SERVER["REDIRECT_URL"]	/info.php
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.0
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	no value
_SERVER["REQUEST_URI"]	/info.php
_SERVER["SCRIPT_NAME"]	/info.php
_SERVER["ORIG_PATH_INFO"]	no value
_SERVER["PHP_SELF"]	/info.php
_SERVER["REQUEST_TIME_FLOAT"]	1464029767.4852
_SERVER["REQUEST_TIME"]	1464029767
_ENV["REDIRECT_UNIQUE_ID"]	V0NSR1FYMRsAAD87ml0AAABA
_ENV["REDIRECT_SCRIPT_URL"]	/info.php
_ENV["REDIRECT_SCRIPT_URI"]	http://zoppinishop.coroworklab.it/info.php
_ENV["REDIRECT_URLEXCHANGE"]	https://www.dataemail.net/exchange/
_ENV["REDIRECT_NOSIMPLE"]	0

_ENV["REDIRECT_SPECIAL"]	0
_ENV["REDIRECT_NEXT"]	1
_ENV["REDIRECT_SSENV"]	1
_ENV["REDIRECT_SSLFIRST"]	1
_ENV["REDIRECT_NOTFOUND"]	1
_ENV["REDIRECT_SOTTOA"]	zoppinishop
_ENV["REDIRECT_COOLPATH"]	htdocs/public
_ENV["REDIRECT_DIRA"]	htdocs/public
_ENV["REDIRECT_BK"]	713cddd1a.hostnd
_ENV["REDIRECT_DOCUMENT_ROOT"]	htdocs/public
_ENV["REDIRECT_FAKEDOCUMENT_ROOT"]	/htdocs/public
_ENV["REDIRECT_M3PATH"]	/www/HOME/hostnd/7/1/3/713cddd1a/www/htdocs/public/zoppinishop/info.php
_ENV["REDIRECT_REWRITEBASE"]	/
_ENV["REDIRECT_CGIW"]	On
_ENV["REDIRECT_PHPRC"]	/htdocs/conf/php
_ENV["REDIRECT_PLATFORM"]	nodomain
_ENV["REDIRECT_HTTP_MOD_REWRITE"]	On
_ENV["REDIRECT_HANDLER"]	php-cgiwrap
_ENV["REDIRECT_STATUS"]	200
_ENV["UNIQUE_ID"]	V0NSR1FYMRsAAD87ml0AAABA
_ENV["SCRIPT_URL"]	/info.php
_ENV["SCRIPT_URI"]	http://zoppinishop.coroworklab.it/info.php
_ENV["URLEXCHANGE"]	https://www.dataemail.net/exchange/
_ENV["NOSIMPLE"]	0
_ENV["SPECIAL"]	0
_ENV["NEXT"]	1
_ENV["SSENV"]	1
_ENV["SSLFIRST"]	1
_ENV["NOTFOUND"]	1
_ENV["SOTTOA"]	zoppinishop
_ENV["COOLPATH"]	htdocs/public
_ENV["DIRA"]	htdocs/public
_ENV["BK"]	713cddd1a.hostnd
_ENV["DOCUMENT_ROOT"]	/htdocs/public/zoppinishop/
_ENV["FAKEDOCUMENT_ROOT"]	/htdocs/public
_ENV["FWRAP"]	1
_ENV["M3PATH"]	/www/HOME/hostnd/7/1/3/713cddd1a/wrap/php-cgiwrap/nobody/htdocs/public/zoppinishop/info.php
_ENV["CGIW"]	On
_ENV["PHPRC"]	/htdocs/conf/php
_ENV["BRAND"]	register.it
_ENV["PLATFORM"]	nodomain
_ENV["HTTP_HOST"]	zoppinishop.coroworklab.it
_ENV["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
_ENV["HTTP_UPGRADE_INSECURE_REQUESTS"]	1
_ENV["HTTP_USER_AGENT"]	Mozilla/5.0 (Macintosh; Intel Mac OS X 10_11_5) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/50.0.2661.102 Safari/537.36
_ENV["HTTP_ACCEPT_ENCODING"]	gzip, deflate, sdch
_ENV["HTTP_ACCEPT_LANGUAGE"]	it-IT,it;q=0.8,en-US;q=0.6,en;q=0.4
_ENV["HTTP_COOKIE"]	_ga=GA1.2.935978708.1463065462; PrestaShop-530b3167ac93e154652da60c063f342a-yZh0dDZ3n6Hay1Zn27DVK3017A%2BuFG1m16A3SGVFJD5yBLrbSBXjX5rUvt9jifAzVT9zpcnczJrF6cdaa36d1b40dbefa6112a04469612bf=yZh0dDZ3n6Hay1Zn27DVK3017A%2BuFG1m16A3SGVFJD5yBLrbSBXjX5rUvt9jifAzVT9zpcnczJrF
_ENV["PATH"]	/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
_ENV["SERVER_SIGNATURE"]	no value
_ENV["SERVER_SOFTWARE"]	Apache
_ENV["SERVER_NAME"]	zoppinishop.coroworklab.it
_ENV["SERVER_ADDR"]	172.29.158.25
_ENV["SERVER_PORT"]	80
_ENV["REMOTE_ADDR"]	2.38.9.22
_ENV["SERVER_ADMIN"]	[no address given]
_ENV["SCRIPT_FILENAME"]	/htdocs/public/zoppinishop/info.php
_ENV["REMOTE_PORT"]	19509
_ENV["REDIRECT_URL"]	/info.php
_ENV["GATEWAY_INTERFACE"]	CGI/1.1
_ENV["SERVER_PROTOCOL"]	HTTP/1.0
_ENV["REQUEST_METHOD"]	GET
_ENV["QUERY_STRING"]	no value
_ENV["REQUEST_URI"]	/info.php
_ENV["SCRIPT_NAME"]	/info.php
_ENV["ORIG_PATH_INFO"]	no value

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.